BREAKOUT GROUP SESSION Publishers and printers

Maggie Zhang 24/04/2018



INTRODUCTION

BOOK CHAIN PROJECT

About News Resources Contact Login



The Book Chain Project gives publishers the information they need to tell the full story of their books; from the origins of tree fibres in the papers, the safety of chemicals in their inks, glues and varnishes, to the working conditions of the factories where the books were made.

The Book Chain Project has three tools to help publishers better understand their book supply chains:



AN OVERVIEW OF BOOK CHAIN







OVERVIEW

A response to clients' requests on paper buying policies

Paper contains uncertified fibre and high risk material

++++ Forest sources are known and responsible

★ ★ ★ ★ ★ Paper is FSC/PEFC certified or 100% recycled



Unknown sources (mill not engaging or failed fibre test). High risk



 \star \star Brand suspended for one month: no data from mill or failed fibre test



ADVANTAGES

- Information directly submitted by paper manufacturers
- Information is regular updated on an annual basis
- Fibre testing to double check





ACCESS

BOOK Chain Project		Home	Browse Bulletin	& Example Printer
			PREPS > Brand	s Mills PIPS >
Brands [955]				
			1234	Filter 5 19 20
Name	Mill	Country	Grade	Graded
 * 126gsm Nine Dragons Kraft paper Other 	Donguan Nine Dragons Paper Industries Nine Dragons Paper Holdings Ltd.	China		
* 1818 FSC Greyboard (1500)	Cartiera San Martino Cartiera San Martino	Italy	****	30 Aug 2017
* 1818 PEFC Greyboard (1500)	Cartiera San Martino Cartiera San Martino	Italy	****	30 Aug 2017
* 40# Norpac Norbrite PEFC Uncoated	Longview, WA Weyerhaeuser	USA		
* 45# Sebago IV Cream PEFC Uncoated	Sebago/Glatfelter Sebago/Glatfelter	USA		
* 80# Cover Mohawk Via Felt PEFC Uncoated	Mohawk Paper Mill Mohawk Fine Papers Inc.	USA		
x 80# Text Mohawk Via Felt Bright White PEFC Uncoated	Mohawk Paper Mill Mohawk Fine Papers Inc.	USA		
* AA Uncoated (70 - 140)	Thatoom Aa	Thailand	☆	13 Sep 2017
Accent Opaque FSC [Ticonderoga]	Ticonderoga	USA	****	24 Nov 2017





	BOOK							Example Printer
-	PROJECT		Filter Bra	ands	×		Browse Bulletin	s Events Help
		My Brands	All		- 1		PREPS > Brand	s Mills PIPS >
Rr	ands [955]	Brand						
DI	anus [ass]	Mill / Group						FILTER
		Country	All				1 2 3 4	5 19 20
	Name	Certification	All			ountry	Grade	Graded
×	126gsm Nine Dragons Kraft paper	Туре	All			China		
×	Other 1818 FSC	Graded At Least	All			taly	****	30 Aug 2017
Î	Greyboard (1500)	Graded At Most	All			taly		50 Aug 2017
×	1818 PEFC Greyboard (1500)	Status	Active		- 1	taly	****	30 Aug 2017
×	40# Norpac Norbrite PEFC Uncoated	Grading Status	All			JSA		
×	45# Sebago IV Cream PEFC Uncoated	Discontinued	No			JSA		
×	80# Cover Mohawk Via Felt PEFC Uncoated				•	JSA		
×	80# Text Mohawk Via Felt Bright White PEFC Uncoated			Mohawk Fine Paper	View	JSA		
х	AA Uncoated (70 - 140)			Thatoom Aa		Thailand	☆	13 Sep 2017
	Accent Onaque ESC (Ticonderoga)			Ticonderoga				



ACCESS

	Filter Brands	×		Filter Brands
Advanced Search	\$\\\ \Tag{}	•	Whiteness	to
Description				Search for a whiteness range in percent. To limit by a specific value leave the second field blank.
	Search for papers with a specific phrase present in their description.		Brightness	to
	ucou poon.			Search for a brightness range in percent. To limit by a specific value leave the second field blank.
Technical Search	\$\\ \bar{\bar{\bar{\bar{\bar{\bar{\bar{		Gloss	to
Weight	to in None	ountry		Search for a gloss range in percent. To limit by a specific value leave the second field blank.
	Search for a weight range in the units of your choice. To limit by a specific value leave the second field blank.	Thina	Moisture	Search for a moisture range in percent.
Thickness	to in None	taly	PCW	To limit by a specific value leave the second field blank.
	Search for a thickness range in the units of your choice. To limit by a specific value leave the second field blank.			Search for a range of Post Consumer Waste in percent. To limit by a specific value leave the second field blank.
Opacity	to	taly	Measurement System	All
	Search for a opacity range in percent. To limit by a specific value leave the second field blank.	JSA		Search for brands using a specific measurement system.
Whiteness	to	JSA		
	Reset	JSA View		Reset Vi
	Mohawk Fine Papers Inc.	JSA		Mohawk Fine Papers Inc.





BACKGROUND - STRENGHTENING LEGISLATION

EU EU EU EU REACH 2007	Toy Safety Directive	Scope : Books designed for use in play by children under 14 years of age
	 Requirements: Technical file (list of components and materials) Bans/limits on use of certain substances 	
	EU REACH	Scope: Controls use of chemical substances in consumer products
		Requirements : 45 days to declare which, if any, SVHCs are used when requested by consumer
US	CPSA	Scope: Controls use of chemical substances in consumer products
	2008	Requirements: Several states have their own lists of priority substances - some with requirements, some not



WHAT IS PIPS APPROACH

High concern substances are continually being identified and added to legislative lists





IDENTIFYING "OF CONCERN" SUBSTANCES





LOGIC BEHIND PIPS

The PIPS database is structured using the following hierarchy:





LOGIC BEHIND PIPS





COMPONENTS

	BOOK Chain Project			Home Browse	-	Example Printer
		PREPS > PIPS > Im	pressions C	omponents Substa	nces Legislations	Testing
Compone	ents [35]					
				FILTER	DOWNLOAD NEW	UPLOAD
ID	Name	Туре	Category	Manufacturer	Modified	
3875	656 🛕	Ink	Core	16	26 Oct 2016	0 🗙
4259	Adhesive 1 🔺	Adhesive	Core	Manufacturer 1	6 Apr 2017	0 ×
549	Example black ink	Ink	Core	Example manufacturer	8 Jan 2015	14
3119	Example black ink 2	Ink	Core	Example manufacturer	6 Jul 2016	4
3120	Example board 2	Paper / Board	Core	Example manufacturer	9 Mar 2018	1
4908	Example Brand FSC	Paper / Board	Core	Example Mill \star	12 Jan 2018	1
5012	Example Brand	Paper / Board	Core	Example Mill 🛊	15 Mar 2018	0
4338	Example Brand	Paper / Board	Core	Example Mill *	8 May 2017	3
5013	Example Brand	Paper / Board	Core	Example Mill 🛊	15 Mar 2018	0 🗙
674	Example cyan ink	Ink	Core	Example manufacturer	28 May 2012	16
2186	Example Fabric	Fabric - Felt	Touch/Feel	Example manufacturer 2	28 Apr 2015	3
3659	Example fabric 2 🔺	Fabric - Plush	Touch/Feel	test manufacturer	13 Sep 2016	0 ×



BILL OF MATERIAL (BOM)

			Download	Compone	nts			
				100.00% Doc	umented. 🛛			
Impression Details	S							
		Test Certificates 🔞		ID	Name	Туре	Category	% 0
ID	6978			575	Example paper	Paper / Board	Core	32.00%
Publisher	Example Publisher 🔹	Tested Certificate	Components	548	Golden Sun Uncoated W/F (Yanzhou Tianzhang Paper Industry Co., Ltd.)	Paper / Board	Core	30.00%
		1 Mar 2012 123456789	549, 674, 676, 575,	550	Example glue	Adhesive	Core	14.00%
Reference	987		675, 548	677	Example foil	Fail	Core	10.00%
Shipping Date	26 Jan 2015			2187	Example leatherette	Fabric - Leatherette	Touch/Feel	3.00%
		Weight 🛛		2186	Example Fabric	Fabric - Felt	Touch/Feel	3.00%
E 194				2188	Example veloro	Fabric - Velcro	Touch/Feel	3.00%
Editions [1]		Weight 250.00 g		549	Example black ink	Ink	Core	2.00%
Name	Quantity			676	Example magenta ink	Ink	Core	1.00%
Hello Dad	100	0 🖌		674	Example cyan ink	Ink	Core	1.00%
		Comments 🛛		675	Example yellow ink	Ink	Core	1.00%
Update History Created	26 Jan 2015 Example Publisher Super User 2 🔹			Substance				
Sent	21 Apr 2015 Example Publisher Super User 2 *			CAS Number	Name			Max %
Estimated Return	2 Feb 2015			000_PRIVATE	Confidential Substances			14.14%
Returned	28 Apr 2015 Francis Mimmack			65996-61-4	Cellulose (pulp)			45.32%
Returned	26 Apr 2015 Francis Mirminack			471-34-1	Calcium carbonate			9.52%
Accepted	16 Mar 2016 Example Publisher Super User 2 #			25038-59-0	Polyethylene terephthalate			8.50%
				000_NO-CAS	No CAS number / specific name given			6.00%
				1332-58-7 9003-07-0	Kaolin Polypropylene			3.00%
				55353-21-4	Viryl acetate-crotonic acid-viryl neodecanoate terpolymer			2.46%
				8001-22-7	Soybean Oil			2.25%
				64742-47-8	Distillates (petroleum), hydrotreated light			2.20%
				8001-26-1	Linseed oil			2.20%
				1317-65-3	Limestone			1.60%
				7732-18-5	Water			1.60%
				1333-86-4	Carbon Black			1.50%

25085-39-6

9003-35-4

9003-04-1

147-14-8

100-42-5

5281-04-9

6358-85-6

7429-90-5

56-04-2

acrylic acid, buta-1,3-diene, styrene

Aluminium powder(pyrophoric)

Acrylic Resin

Diazo Yellow

Methylthiouracil

Styrene

Phthalo Cyanine

Formaldehyde, oligomeric reaction products with phenol

Calcium 3-hydroxy-4-((4-methyl-2-sulphonatophenyl)azo]-2-naphthoat



1.20%

0.75%

0.30%

0.25%

ADVANTAGES

- Avoid duplicate work to respond requests from different clients
- BoM in standard format
- Manage your own component list in an online system
- Stay informed of legislation updates and component safety status changes
- Safety status check on new components





PRELIMS

 \cap

PRELIMS CODE OF CONDUCT

PRELIMS SUPPLIER CODE OF CONDUCT

Introduction

Prelims is a collaboration of leading publishers who have been working together since 2003 to drive social and environmental responsibility in our product supply chain.

We now expect all our product suppliers to commit to working towards the Standards set out in this Code of Conduct.

Code Implementation

1 Publisher's Responsibility

1.1 We expect all publishers to assign management responsibility for implementation of our Code of Conduct

1.2 We expect all publishers to communicate our Code of Conduct internally and externally as well as provide relevant training to staff where necessary

1.3 We expect all the publishers to work together to ensure that shared suppliers will only have to undergo one social audit and one environmental audit against our Code of Conduct

1.4 We expect publishers to take a risk based approach to managing suppliers. This means we will only ask suppliers deemed to be a medium or high risk to undergo a full social audit and/or a full environmental audit

HIOI



International Labour Organization Respect for workers worldwide

Benchmarked and updated annually



DRIVER: MODERN SLAVERY ACT



Requires all companies with an annual total turnover of more than £36m to produce a Slavery & Trafficking statement each year explaining the steps taken during the preceding year, to ensure that slavery and human trafficking is not taking place in any of its supply chains, and in any part of its own business



DRIVER: INCREASED PUBLIC SCRUTINY

Bangladesh workers protest as building collapse death toll passes 400

Thousands take part in May Day march in Dhaka der and death penalty for Rana Plaza owner

Thousands of workers have marched through centra demand better safety at work and the death penalty factory building that collapsed last week in the coun

The May Day protests came as officials confirmed the of the Rana Plaza complex had risen above 400. More

Around 120 were let go from the Júarez Les suggest collusion between the company an

Printer giant Lexmark fires Mexico

factory workers demanding \$0.35 raise



Marcos Godoy of Mexico City manufactures car dash mats Ciudad Juarez, Mexico. Photograph: Ivan Pierre Aguirre/AP

Disney factory faces probe into sweatshop suicide claims

Human rights campaigners say Chinese factories using children as young as 14 and that workers forced to do overtime



A Sturdy Products' employee works to fulfil orders, for ranges that include Disney merchandise. But a



DRIVER: GOVERNMENT CRACKDOWN

Indian government declares Delhi air pollution an emergency



环保局执法人员现场对该厂负责人做《调查询问笔录》,并责令停止违法行为。



PRELIMS – AUDIT SHARING PLATFORM



- Printers upload the audits onto the prelims platform
- Printers own these audits so they have the power to choose which publishers they share them with
- Publishers manage their "supplier lists"
- Carnstone help printers with audits upload



PRELIMS – ENVIRONMENTAL SELF ASSESSMENT QUESTIONNAIRE

	Water extraction and emission permits	External environmental certification	Waste water treated before discharge	Quality of waste water measured at final discharge point	Air extraction devices installed	GHG emissions measured
Printer 1						
Printer 2						



ADVANTAGES

- Upload audit reports once and share with multiple clients
- Environmental performances self-assessment
- Access to useful resources on labour and environmental issues
- Involvement in future projects and receive continuous support





UPDATES

PREPS

- Forest legislation
- Fibre testing:
 - o Mill samples
 - Market samples
 - Finished books
- Instruction videos for mill users (English & Chinese)





PIPS

- Access to legislation tab
- Publishers start to mainstreaming the test certificates
- Printer briefing notes
- Instruction videos for printer users (English & Chinese)

ook Chain Project Database: nstructions for Printers	BOOK CHAIN PROJECT
ogging on	How to create a new component
The Book Chain Project database is web-hosted and can be accessed through your browser at <u>www.bookchainproject.com</u> . The login is in the top right hand corner of the screen. Click the "login" button and enter your email address and password. Contact <u>info@bookchainproject.com</u> if you do not have an account. Click the "logout" button in the same place to log out of the database.	Create a Component: 1 Click on the "Browse" tab and go to "PIPS" and then to "Components". 2 Click the "New" button. 3 Fill in the component detail including name, type, manufacturer, country of manufacture, vegan, gluten free and MSOS (Material Safety Data Sheets). Unless the substance breakdown is not to be displayed to the publisher (N.B. publishers usually require this information) please select "None" in the privacy details. 4) Click "Create" Component Details Component Details
our area on the database	Nor Construction Construction MARI Manual Manuu
You can also click on your name he Prover Deces	re to en Note: If you are creating a Paper/ Board component, please make sure to double check with your paper mill supplier to see if this brand exists in the Forest Sources (PREP) database. If yes, start typing the
Mark Market Market	24 page 19 Start typing the US number in the box and chouse from the list of CS numbers on the arborysown list. If the CS number init on the list, keep typing the CS number and complete the substance name box. The ECH4 database (<u>http://ccha.europa.eu/</u>) can be used to check the CAS number and name. Substances
Setting up your email preferences Turn on your alerts to get email notifications	Col Number Nume Min % Maxibast % plus to add the substance to the BoM Select the CAS number - Add in the % of the substance in the
Turning on your email alerts: • Click on your name on the home screen to see your user profile. • Click "Edit" • Select "All" for the "Impression Alerts' to receive alerts when an impression is	Carristone checks the CAS component – either the exact amount on the right or a min-max range using both fields Add any test certificates for the component 1) Choose tests from the drop-down menu. Be sure to add all the relevant tests for the component. N.B. these must be relevant to the exact component, i.e. not just a similar component. Testing
sent by a customer. • Tick the bax next to "Component Alerts" to receive alerts when a component is audited by Canstone.	Tex Tex Croticate Number Text Service Control to add the texting to the BOM Drop down menu Upload your textificate number Grafty texting textificate number textifica



PRELIMS

- Modern Slavery Act online webinar for suppliers
- Labour agency checklist
- Social insurance project
 - Social insurance online manager webinar
 - 12-min drama film for worker education
 - City guide website





DISCUSSION

ADVANTAGES

- Any questions on the database and updates?
- What would you like to see and share in the system?
- Any suggestions for the Book Chain Project?





YOUR FEEDBACK IS VALUED







partners llp

Produced by Carnstone Partners LLP www.carnstone.com